PELVIC HEALTH INTAKE FORM

Name:	_ Date of Birth:	Today's Date:	
Preferred Phone: ()	Home / Cell G	ender: Prono	un: She/Her / He/Him / They/Them
Email Address:	@ Best way to	contact: 🛘 Call 🗘 T	ext 🗆 Email
Emergency Contact:	Relationship:	Phone Num	ber: ()
How did you choose HonorHealth Outpa	tient Therapy? (Check one)] Physician Recomm	ended
☐ Previous Patient ☐ Friend/Family	Recommended 🗋 Int	ernet/Website	
Referring Physician:	Primary Care Physic	cian:	
Do you have a follow-up appointment wi	th your referring physician?	□Y □N Da	ite:
Chief Complaint:		· .	
Date of Onset of Symptoms:			
Have you had Physical Therapy for this of If Yes, when and where:		□ N	
Have you had previous abdominal or pel	vic surgeries?	N Type:	
Have you had any Surgery? ☐ Y ☐ N	1		
If yes, date/type of surgery:			 _
Have you had (Check All that Apply):			
☐ X-rays			re:
☐ CT Scan			:
☐ MRI ☐ Ultrasound			:e:
			:e:
☐ Urodynamics	Results:	Dat	re:
☐ Cystoscopy	Results:	Dat	e:
\square Urine test (UA, culture, other)	Results:	Dat	re:
☐ Colonoscopy/Other	Results:	Dat	re:
Please rate your General Health: (Check	one) 🗆 Excellent 🗀 Good [] Fair ☐ Poor	
Please list any medications or supplement	nts you are taking to manage	either your pain, uri	nary, and/or bowel symptoms:
Are you currently sexually active? Y Do you currently have, or have a history If yes, please explain and list any medica	☐ N of, sexually transmitted diseations related:	ases? 🛘 Y 📋 N	

Please check all that apply

Pregnancy History			
Are you pregnant, trying to become pregnant, or	currently breastfeeding? 🛘 Y 💢 N		
Number of pregnancies: Number of deliv	reries: Vaginal: Cesarean: Episiotomies:		
Have you had complications related to pregnance	y or delivery? 🛘 Y 🔻 🖟 N		
PAIN			
Do you have pain with:			
☐ Sexual intercourse ☐ During (☐ After: Immediately Hours/days		
☐ Orgasm/ejaculation/masturbation			
□ Pelvic exam			
☐ Tampon use			
☐ Clitoral/penile stimulation			
□ Abdominal pain			
\square Pain in perineum (area between rectum and va	agina/scrotum)		
☐ Pain in (circle any that apply): Low back Sa	acrum Hips Tailbone Groin		
BLADDER			
Do you lose urine when you:			
☐ Cough/sneeze/laugh	☐ Lift/exercise/dance/jump		
\Box On the way to the bathroom	☐ Strong urge to urinate		
☐ Hear running water	☐ Lie down or Sleep		
☐ Wear a protective undergarment or pad for inc	continence? Number of changes in 24 hr period:		
☐ Pain or burning during or after urination	☐ Pain with a full bladder		
☐ Hesitancy starting urine stream	☐ Strain/Push to empty bladder		
☐ Feeling of incomplete bladder emptying	☐ Low urine volume/weak flow		
☐ Strong sense of urgency to urinate			
\square How often do you urinate during the day from	waking until bed?		
☐ How often do you get up to urinate at night?	or the feeling of an infection? Number in past year:		
	in the feeling of an infection: Number in past year:		
BOWEL ☐ Constipation	☐ Take laxatives / enema regularly		
☐ Strain/push to have a bowel movement	☐ Include fiber supplements in your diet		
□ Diarrhea	☐ Leak gas by accident		
□ Fecal Staining or Leaking	☐ Activities associated with fecal leaking:		
☐ Pain with bowel movement	☐ Strong sense of urgency to have bowel movement		
How many often do you move your bowels: per day / week			
Most common stool consistency	por day / Week		
liquidsoftfirmpe	llets other		
What are the main goals you would like to achiev			
Do you have a history of several abuse on two	that you would like your thansaint to be a see on the second		
	that you would like your therapist to be aware of? Y N		
Patient's Signature	Data		

NIH-Chronic Prostatitis Symptom Index (NIH-CPSI)

1.	in th	<u>n or Discomfort</u> ne last week, have you experienced any p comfort in the following areas?	oain or		6.	How often have you had to urinate again less than two hours after you finished urinating, over the last week?
	a.	Area between rectum and testicles (perineum)	Yes □ ₁	No □ ₀		□ ₀ Not at all □ ₁ Less than 1 time in 5 □ ₂ Less than half the time □ ₃ About half the time
	b.	Testicles	□1	\Box_0		□ ₄ More than half the time □ ₅ Almost always
	C.	Tip of the penis (not related to urination)				Impact of Symptoms
	d.	Below your waist, in your pubic or bladder area	□ 1	\Box_0	7.	How much have your symptoms kept you from doing the kinds of things you would usually do, over the last week?
2.	In th	ne last week, have you experienced:				□ ₀ None □ ₁ Önly a little □ ₂ Some
	a.	Pain or burning during urination?	Yes □ ₁	No □ ₀		\square_3 A lot
	b.	Pain or discomfort during or after sexual climax (ejaculation)?	□ ₁	\square_0	8.	How much did you think about your symptoms, over the last week?
3.	3. How often have you had pain or discomfort in any of these areas over the last week?					□ ₀ None □ ₁ Only a little □ ₂ Some
		Never Rarely Sometimes Often Usually Always			9.	☐3 A lot Quality of Life If you were to spend the rest of your life with your symptoms just the way they have been during the last week, how would you feel about that?
4.		ich number best describes your AVERAG comfort on the days that you had it, over t		ek?		□ ₀ Delighted □ ₁ Pleased □ ₂ Mostly satisfied
N	כ	1 2 3 4 5 6 7	B 9	10 PAIN AS BAD AS YOU CAN IMAGINE		□ ₃ Mixed (about equally satisfied and dissatisfied) □ ₄ Mostly dissatisfied □ ₅ Unhappy □ ₆ Terrible
5.	Urination 5. How often have you had a sensation of not emptying your bladder completely after you finished urinating, over the last week?					oring the NIH-Chronic Prostatitis Symptom Index Domains
	-	Not at all				in: Total of items 1a, 1b, 1c,1d, 2a, 2b, 3, and 4 =
	-	Less than 1 time in 5 Less than half the time				inary Symptoms: Total of items 5 and 6 =
	\Box_4	About half the time More than half the time Almost always			Qu 	ality of Life Impact: Total of items 7, 8, and 9 =

Pelvic Floor Disability Index (PFDI-20)

Instructions: Please answer all of the questions in the following survey. These questions will ask you if you have certain bowel, bladder, or pelvic symptoms and, if you do, how much they bother you. Answer these by circling the appropriate number. While answering these questions, please consider your symptoms over the last 3 months. The PFDI-20 has 20 items and 3 scales of your symptoms. All items use the following format with a response scale from 0 to 4.

Symptom scale:

0 = not present

1= not at all

2 = somewhat

3 = moderately

4 = quite a bit

Colorectal-Anal distress Inventory 8 (CRAD-8)

Do You	NO	YES
7. Feel you need to strain too hard to have a bowel movement?	0	1 2 3 4
8. Feel you have not completely emptied your bowels at the end of a bowel	0	1 2 3 4
movement?		
9. Usually lose stool beyond your control if your stool is well formed?	0	1 2 3 4
10. Usually lose stool beyond your control if your stool is loose?	0	1 2 3 4
11. Usually lose gas from the rectum beyond your control?	0	1 2 3 4
12. Usually have pain when you pass your stool?	0	1 2 3 4
13. Experience a strong sense of urgency and have to rush to the bathroom to have a bowel movement?	0	1 2 3 4
14. Does part of your bowel ever pass through the rectum and bulge outside during or after a bowel movement?	0	1 2 3 4

Urinary distress Inventory 6 (UDI-6)

Do You	NO	YES
15. Usually experience frequent urination?	0	1 2 3 4
16. Usually experience urine leakage associated with a feeling of urgency, that is, a	_ 0	1 2 3 4
strong sensation of needing to go to the bathroom?		
17. Usually experience urine leakage related to coughing, sneezing or laughing?	0	1 2 3 4
18. Usually experience small amounts of urine leakage (that is, drops)?	0	1 2 3 4
19. Usually experience difficulty emptying your bladder?	0	1 2 3 4
20. Usually experience pain or discomfort in the lower abdomen or genital region?		1 2 3 4